DOI: 10.1002/2688-8319.12105

DATA ARTICLE

ILORA: A database of alien vascular flora of India

Vidushi Pant¹ | Chinmay Patwardhan² | Kshitij Patil² | Amiya Ranjan Bhowmick² | Abhishek Mukherjee³ | Achyut Kumar Banerjee⁴

¹ Sustainable India Finance Facility, Guntur, India

² Department of Mathematics, Institute of Chemical Technology, Mumbai, India

³ Agricultural and Ecological Research Unit, Indian Statistical Institute, Giridih, India

⁴ School of Life Sciences, Sun Yat-sen University, Guangzhou, China

Correspondence

Abhishek Mukherjee, Agricultural and Ecological Research Unit, Indian Statistical Institute, Giridih, Jharkhand 815301, India. Email: abhi.mukh@yahoo.com Achyut Kumar Banerjee, School of Life Sciences, Sun Yat-sen University, 135 Xingangxi Road, Guangzhou, Guangdong 510275, China. Email: banerjeeachyut31@outlook.com

Handling Editor: Michele Dechoum

Abstract

- Biological invasions pose an unprecedented threat to biodiversity and ecosystems at different spatial scales, especially for a biodiversity-rich developing nation like India. While country-level checklists of alien taxa are important, databases having their biological and ecological attributes are of paramount importance for facilitating research activities and developing policy interventions. Such a comprehensive database for alien flora is lacking in India.
- We have curated data for 14 variables related to ecology, biogeography, introduction pathway, socio-economy and distribution of 1747 alien vascular plant species from 22 national and global sources to produce the Indian Alien Flora Information (ILORA) version 1.0 database. This paper describes the detailed methodology of curating these data along with the rationale behind selecting these variables.
- 3. The database, the first of its kind for the Indian alien flora, will provide easy access to high-quality data and offer a ready reference to comprehend the existing scenario of alien plant species in the country. The database is dynamic and will be updated regularly. It has a provision to incorporate user-submitted data, which will allow increasing the resolution of the database as well as the expansion of its capacity.
- 4. The database is envisaged to become a nationwide collaborative platform for a wide spectrum of stakeholders. It is freely accessible via an online data repository as well as through a dedicated website (https://ilora2020.wixsite.com/ilora2020).

KEYWORDS

alien plant species, biological invasion, database, India

1 | INTRODUCTION

Biological invasion has been described as a defining feature of the Anthropocene (Van Kleunen et al., 2015). The emerging economies, like India, are facing the greatest threat of invasion as a consequence of increasing globalization of trade as well as the changing climate (Lenzen et al., 2012). This necessitates the creation of a country-level

repository of alien flora as the first step towards identifying emerging invaders and managing the ones that have already been established (Pagad et al., 2018). While country-level checklists of alien flora exist in India (e.g. Khuroo et al., 2012), the biological and ecological attributes of these alien plant species remain scattered across a multitude of databases rendering their access tedious. Some of this information, although retrievable from global databases, often lack resolution

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

^{© 2021} The Authors. Ecological Solutions and Evidence published by John Wiley & Sons Ltd on behalf of British Ecological Society

	File name (with extension)	Data contents
1	ILORA_1_SpCategorization.csv	The reported origin and invasion status of the alien species present in India
2	ILORA_1a_Sp.Categorization.Metadata.csv	Metadata for determining origin and invasion status
3	ILORA_2_GeneralInformation.csv	Common and vernacular names, life form, duration and type
4	ILORA_3_NativeRange.csv	Native range at TDWG Level 2
5	ILORA_4_Introduction.csv	Month and year of first reported occurrence in India; introduction pathway(s)
6	ILORA_5_EconomicUses.csv	Economic uses at TDWG Level 1
7	ILORA_6_MarketDynamics.csv	Price and number of plants/seeds sold in two online nurseries of India
8	ILORA_7_Habitat.csv	Potential habitat(s)
9	ILORA_8_NaturalizedRange.csv	Naturalized ranges at global and Indian scale at TDWG Level 4
10	ILORA_9_Occurrence.csv	Latitude and longitude data
11	ILORA_10_Distribution.csv	Distribution in Indian states and union territories
12	ILORA_11_LULC.csv	Land-Use and Land-Cover categories inhabited
13	ILORA_12_Anthromes.csv	Indian anthromes inhabited
14	ILORA_13_Ecoregions.csv	Indian ecoregions inhabited
15	ILORA_14_Climate.csv	Köppen–Geiger climate classes of India inhabited; the temperature and precipitation data
16	ILORA_15_Summary.csv	Status (presence/absence) of data for each of the above-mentioned 14 data files for each of the alien plant species
17	ILORA_16_Cultivated.Species.csv	Standardized species names of cultivated aliens
18	ILORA_17_R.Codes.txt	R codes used to extract variable information
19	ILORA_Methods.pdf	Document having information on rationale of variable selection, data sources, search queries; future scopes of data enrichment
20	ILORA_HowToRead.pdf	Document having information of the data types recorded in columns in each of the data file

TABLE 1 Overview of the data records of ILORA version 1.0 representing the contents and data type for each of the eighteen data files

Abbreviation: TDWG, International Working Group on Taxonomic Databases for Plant Sciences.

at the national or regional levels (but see The Global Naturalized Alien Flora database, hereafter GloNAF; van Kleunen et al., 2019). Further, data extraction often involves intensive and informed query-directed search processes to garner species-specific information. Easy access to such information at a finer scale is of paramount importance for developing country-level policy interventions and facilitating research and development concerning the alien species of a country. Such a comprehensive database is lacking in India (but see Inderjit et al., 2018).

Here, we introduce the Indian Alien Flora Information (ILORA) Version 1.0 Database, a dynamic and open-source repository of comprehensive information on taxonomy, introduction pathway, use and biogeography of 1747 alien vascular plant species of India. Our intention was not to create another country-level checklist, rather we envisage that ILORA will assist in novel research on alien plant invasions in India and can be transformed into a nationwide collaborative platform for stakeholders.

2 | MATERIALS AND METHODS

The database formation included two major steps – (1) categorization of the alien flora, and (2) data curation for 14 variables of these species. The steps have been explained in brief in the following text along with the overview of the data files (Table 1). The detailed methodology (including resources and search criteria) and the future plans have been provided as Supporting Information.

2.1 | Categorization of the alien flora

We created a comprehensive list of alien plant species of India from three national checklists, viz. Alien flora of India (1599 species; Khuroo et al., 2012), Naturalized alien flora of the Indian states (499 species; Inderjit et al., 2018), and the GRIIS – India Version 1.3 (2082 species; Sankaran et al., 2020). The species names were standardized using the *WorldFlora* package (Kindt, 2020) in R version 4.0.2 (R Core Team, 2020). The duplicates and synonyms, infraspecific taxa and artificially hybridized species were removed.

The selected plants (n = 2503) were subjected to a two-step verification process (Figure 1) to determine their (i) origin status (native or alien to India) and (ii) invasion status (degree of naturalization) (Pyšek et al., 2004). Briefly, we first identified the cultivated aliens (n = 756) from the national and global databases. These species were retained in the database; however, no variable information was extracted for




FIGURE 1 The methodology followed for the categorization of the Indian alien flora [AFI: Alien Flora of India (Khuroo et al., 2012); NAFIS: Naturalized Alien Flora of the Indian States (Inderjit et al., 2018); GLONAF: The Global Naturalized Alien Flora database (van Kleunen et al., 2019); GRIIS: Global Register of Invasive and Introduced Species (Sankaran et al., 2020)]

these species. The origin status of the remaining species (n = 1747) was ascertained using global databases. If the origin status of a species was identified as 'native' or 'alien' to India in at least one of these databases and was not contradicted by the others (n = 1576), it was accepted. However, in case of any contradiction between databases (n = 162), origin status was determined through literature search. The species with ambiguous origin status were categorized as 'cryptogenic' (i.e., uncertain biogeographic status) following Essl et al. (2018). Therefore, the origin status of the alien species was categorized as alien (n = 1388), native (n = 334) and cryptogenic (n = 25). From the list of alien species (n = 1388), the 'invasive' species were categorized by consulting the GRIIS database (n = 220). The species which have been identified as naturalized aliens by Inderjit et al. (2018) and the GloNAF database were categorized as 'naturalized' (n = 237). The remaining alien species were identified as 'casual alien' (n = 931) following Khuroo et al. (2012). Finally, a confidence score was attached to each of the species' categories. It is important to note here that given the vast geographic extent of India, it is possible that some of the species identified as 'nature'

may be native in one part of the country and introduced to others. The status of these species may change by availability of regional-scale data and therefore, we included detailed information of them in the database.

2.2 Data curation

2.2.1 | Taxonomy and general information

For each species, we recorded the class, order and family information. The common names of the species were recorded in English and vernacular languages and standardized using the ISO 639-3:2007 code. Besides, information on growth habits, lifecycle (perennial, annual, biennial) and group (monocot/dicot) was also collected for each species.

2.2.2 | Pathway and time of introduction

Information regarding the introduction pathway and time was retrieved from the literature reports as well as from global databases. If the introduction pathway of the species could not be identified for India, possible purposes for which the concerned species had spread outside of its native range were identified by searching authoritative literature records. The introduction pathways were categorized following the classification framework proposed by the Convention on Biological Diversity (Harrower et al., 2018). The residence status of a species in India was determined by considering the earliest year recorded in the curated data.

2.2.3 | Biogeography

Native and naturalized range information was collated from the global databases at Level 2 (continental and regional scheme) and Level 4 (constituent political units of a country), respectively, as proposed by the International Working Group on Taxonomic Databases for Plant Sciences (TDWG) (Brummitt et al., 2001).

2.2.4 Uses and market dynamics

Usage information of each species was extracted from ethnobotanical literature and databases available in India. The data were supplemented with the usage information reported across the distribution range of a species and standardized according to the 13 level 1 states of plant uses (Cook, 1995). Data on species trading, including type, quantity and price, for ornamental purposes were collected from ecommerce platforms.

2.2.5 | Indian distribution

Occurrence records of the species, downloaded from GBIF (https://doi. org/10.15468/dl.7bkqza), were used to determine their distribution across different states and union territories, land-use and land-cover (LULC) classes, ecoregions, anthropogenic biomes and climate classes in India. LULC information for each of the occurrence records was extracted from the classified image of the country (Reddy et al., 2015). Species' occurrences were further determined across 51 ecoregions (Olson et al., 2001) and 18 anthropogenic biomes (Ellis & Ramankutty, 2008) present in India. The habitat information at coarser and finer sub-system levels was collected from literature and global databases. The realized climatic niche of each species was characterized for annual mean temperature and precipitation, and their occupancy of the Köppen–Geiger climate classes was ascertained using the *kgc* package (Bryant et al., 2017) in R.

2.3 Assessment of data quality

The data quality was assessed based on reliability, usability and accessibility. The individual data records of the dataset were extracted from peer-reviewed articles and databases that maintain detailed profiles of a large number of species, are frequently updated and provide traceable data sources. Therefore, the curated data should be considered reliable and consistent. We further adopted a multistep pipeline for technical validation of the curated data. This included random and iterative data checking by individual team members to minimize curator's bias, avoid omission error and increase the data accuracy before inclusion in the database. To ensure smooth usability of the database, we arranged individual variables in separate .csv files with consistent species names across the data files. The data files were made accessible without any restriction of use through an online data repository and a dedicated website (see 'Data availability'). A RShiny application (Chang et al., 2020) was created (and embedded on the website) for easy retrieval of species- or variable-specific data through query-based search of the database (see details in the Supporting Information; Figure 2 shows an example search result).

3 | USAGE NOTES

The primary objective behind curating ILORA is to provide a comprehensive, easy-to-access, policy and research-relevant database for alien vascular plant species of India. It contains occurrence data and the alien status of a species, both of which were considered as essential variables for invasion monitoring (Latombe et al., 2017). These records can be incredibly useful for stakeholders working on alien plant species in India. It also allows users to comprehend the socio-economic drivers of alien plant spread in the country and formulate appropriate

	=								
weller	Show 20 v entries								Search:
ILØ RA	Variable			¢	Mikania micrantha Kunth				
- Aler	All				All				
_	Taxinomic Information (Class, O	order, Family)		,	lagnoliopsida, Asterales, Aste	raceae			
me	Invasion Status			1	wasive				
ta	General information (Common name, Vernacular name, Growth habit, Duration, Group)				Climbing Hempweed, Uri hingchabi (mni); Lahare Banamaaraa (npi); Japanhlo (lus); Japani-lota (asm), HerbyVine, Perennial, Dicot				
ualisation	Native Range (TDWG Level 2 Names)				lexico, Central America, Carib	bean, Northern South America,	Western South America, Brazil, S	outhern South America	
ease	Introduction pathway(s)				elease in nature for use;Land	scape improvement in the wild			
v do you want to look at the	First record date Economic Uses			1	884				
a?				F	orage, Traditional Medicine, S	ioil Improver, Landscape Improv	er, Green Manure, Ornamental U	lse	
pecies Search 🔹	Sold by nurseries	Sold by nurseries							
ose Species or clear with	Habitat				errestrial Managed, Terrestria	l Natural			
kspace and start typing	Naturalized Range (TDWG Level 2 names) [TDWG Level 4 names in ILORA_8_NaturalizedRange.csv]				outhwestern Pacific, Australi	a, China, South-Central Pacific, I	Ialesia, Indian Subcontinent, We	estern Indian Ocean, Indo-China	a, Eastern Asia, Papuasia
ikania micrantha Kunth	Number of occurrence records				5				
Download	Distribution in states and union	territories		,	erala, West Bengal, Tamil Na	du, Assam, Mizoram, Nagaland			
	Distributed in LULC classes (cou	int)		6					
	Distributed in Anthromes classe	es (count)		5					
	Distributed in Conservations along			12					
	Distributed in Ecoregions classe	is (count)		5					
	Climate [Max. Temp. (degree C), Showing 1 to 16 of 16 entries		ax. Ppt. (mm), Min. Ppt. (mm		7.62, 19.29, 3146, 1588				Previous 1
ILORA	Climate [Max. Temp. (degree C),		ax. Ppt. (mm), Min. Ppt. (mm						Previous 1
ILORA	Climate [Max. Temp. (degree C), Showing 1 to 16 of 16 entries	, Min. Temp. (degree C), M)] 2	7.62, 19.29, 3146, 1588				
	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 - entries	Min. Temp. (degree C), M	d in the 'How-To-Read' doci)] 2	7.62, 19.29, 3146, 1588				Previous 1 Search:
	Climate [Max. Temp. (degree C), Showing 1 to 16 of 16 entries	, Min. Temp. (degree C), M)] 2	7.62, 19.29, 3146, 1588	Species	Authority	• Invasion.Status	
ILORA	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 - entries	, Min. Temp. (degree C), M	d in the 'How-To-Read' doci)] 2	7.62, 19.29, 3146, 1588	© Species	Authority All	Invasion.Status All	Search:
ne	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries \blacksquare The abbreviations used in the ta Show 10 \checkmark entries Acc_Species_Name	Min. Temp. (degree C), M able have been explained Class	d in the 'How-To-Read' doct)] 2 ument, the PDF of which is a Family	7.62, 19.29, 3146, 1588 vailable here . Genus	1			Search:
B ILORA	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 \sim entries Acc_Species_Name All Abelmoschus manihot (L)	Min. Temp. (degree C), M able have been explained Class All	d in the 'How-To-Read' doct Order)] 2 ument, the PDF of which is a Family All	7.62, 19.29, 3146, 1588 vailable here . Genus All	All	All	All	Search: Source
ne aliastion	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 \rightarrow entries Acc. Species, Name All Abelinschus manihot (L) Medik. Abuction auritum (Wall. ex	Min. Temp. (degree C), M able have been explained Class All Magnoliopsida	d in the 'How-To-Read' docu Order All Matvales)] 2 ument, the PDF of which is a Pamily All Malvaceae	vailable here . Genus All Abelmoschus	All manihot	All (L.) Medik.	All N	Search: Source
ne alisation ase	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries	Min. Temp. (degree C), M able have been explained Class All Magnoliopsida	d in the 'How-To-Read' doce Order All Malvales Malvales)] 2 ument, the PDF of which is a Pamily All Malvaceae Malvaceae	All Abution	All manihot auritum	(L.) Medik. (Wall. ex Link) Sweet	All N CA	Search: Source
ne alitation case or do you want to look at the	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 \circ entries Acc. Species, Name All Abbreviation smailhot (L) Medik. Abbution auritum (Wall, ex Link) Sweet Acacia auriculiformis Benth.	Min. Temp. (degree C), M mble have been explained Class All Magnoliopsida Magnoliopsida	d in the 'How-To-Read' doce Order All Malvales Fabales)] 2 ument, the PDF of which is a Pamity All All Malvaceae Fabaceae	Acia Abution Acia A	All manihot auritum auriculiformis	All (L) Medik. (Wall. ex. Link) Sweet Benth.	All N CA In	Search: Source
ne	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 \circ entries Acc. Species, Name All Abbreviation suritum (Wall, ex Link) Sweet Acacia auriculiformis Benth, Acacia balfouril Woodrow	Min. Temp. (degree C), M able have been explained Class All Magnoliopsida Magnoliopsida Magnoliopsida	d in the 'How-To-Read' doce Order All Malvales Fabales Fabales Fabales)] 2 ument, the PDF of which is a Pamity All Allvaceae Fabaceae Fabaceae	Acia Abution Acia Acia Acia	All manihot auritum auriculiformis balfourii	LI All (L.) Medik. (Wall. ex. Link) Sweet Benth. Woodrow	All All CA	Search: Source ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me
ne aliaston asse rable Search v	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 ° entries Acc. Species, Name All Abbreviation suritum (Wall, ex Link) Sweet Acacia auriculiformis Benth, Acacia balfourii Woodrow Acacia concurrens Pedley	Min. Temp. (degree C), M Min. Temp. (degree C), M able have been explained Class Class All Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida	d in the 'How-To-Read' doce Order All Malvales Fabales Fabales Fabales Fabales)] 2 ument, the PDF of which is a Pamity All All Allvaceae Fabaceae Fabaceae Fabaceae	Ac2, 19,29, 3146, 1588	All manihot auritum auriculiformis balfourii concurrens	All (L) Medik. (Wall. ex Link) Sweet Benth. Woodrow Pedley	All All CA	Search: Source ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me
ne altestion altestion viable Search 👻	Climate (Max. Temp. (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 ° entries Acc. Species, Hame All Abbreviation surtum (Wall, ex Link) Sweet Acacia auriculiformis Benth, Acacia balfourii Woodrow Acacia concurrens Pedley Acacia cornigera (L.) Willd,	Min. Temp. (degree C), M able have been explained Class All Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida	d in the 'How-To-Read' doce Order All Malvales Fabales Fabales Fabales Fabales Fabales Fabales)] 2 ument, the PDF of which is a Family All All Alvaceae Fabaceae Fabaceae Fabaceae Fabaceae Fabaceae	Accia Accia Accia Accia Accia	All manihot auritum auriculiformis balfourii concurrens cornigera	All (L) Medik. (Wall.ex Link) Sweet Benth. Woodrow Pedley (L) Wild.	All All CA CA CA CA CA CA	Search: Source All ILORA, Sp. Categorization.Me ILORA, Sp. Categorization.Me ILORA, Sp. Categorization.Me ILORA, Sp. Categorization.Me ILORA, Sp. Categorization.Me ILORA, Sp. Categorization.Me
ne alisation alisation viable Search 🗾	Climate [Max. Temp., (degree C), Showing 1 to 16 of 16 entries The abbreviations used in the ta Show 10 v entries Acc_Species_Mame Abelmoschus manihot (L) Medik. Abbition auritum (Wall, ex Link) Syswet Acacia auriculiformis Benth. Acacia auriculiformis Benth. Acacia concurrens Pedley Acacia concurrens Pedley Acacia concurrens Pedley	Min. Temp. (degree C), M able have been explained Class All Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida Magnoliopsida	d in the 'How-To-Read' doce Order All Malvales Fabales Fabales Fabales Fabales Fabales Fabales Fabales)] 2 2 ument, the PDF of which is a All All Alvaceae Fabaceae Fabaceae Fabaceae Fabaceae Fabaceae	Acia Abutilon Acacia Acacia Acacia Acacia Acacia Acacia	All manihot auritum auriculiformis balfourii concurrens cornigera cultriformis	All (L.) Medik, (Wall. ex Link) Sweet Benth. Woodrow Pedley (L.) Wild, G.Don	All All CA CA CA CA CA CA CA	Search: Source All ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me ILORA_Sp.Categorization.Me

FIGURE 2 Screenshot of the database search result for – (a) an individual species (*Mikania micrantha* Kunth, as an example) and (b) a variable (Species categorization). The variables for species-specific search (a) follow the arrangement of the data records in the database; note the taxonomic information is displayed separately from the invasion status, as the introduction pathway(s) and the first record date, thus making the number of variables equal to 16

trading policies and quarantine measures for the prevention of future expansion.

Alien species databases are not complete and stable units; dynamism lies at the core of the data records and thus, they are open to suggestions and future updates. ILORA also has provisions for the incorporation of data submitted by the users like researchers, stakeholders and the general public. The submitted data will undergo thorough quality checks by the curators (and domain experts as and when required) before integration into the database. All usersubmitted data will accompany source information to ensure full credit to the content providers. This bidirectional information exchange is envisaged to increase the data resolution and would broaden the scope of the database.

4 | GENERAL PATTERNS

Curating data from 22 sources, ILORA version 1.0 incorporates attributes of 1747 alien vascular plant species of India in 14 data variables. Of these, two variables, namely the species categorization and general information, contain data for all the species (Figure 3a). The database contains the recorded common names of 1575 species and vernacular names of 583 species in 23 languages. For the remaining 12 data variables, 1671 species have information for one or more variables, whereas data are missing for 76 species (Figure 3b). Among the three categories of alien flora (invasive, naturalized and casual; Figure 3c), average data availability is maximum for invasive aliens followed by naturalized and casual aliens (Figure 3d). At the





FIGURE 3 Data availability in the ILORA database – (a) percentage of available data for each of the 14 variables; (b) the frequency histogram showing numbers of species (*n* = 1671 having data for at least one variable) for each of the 12 variables (i.e., excluding two variables, species categorization and general information having no missing data); (c) the pie chart showing the numbers and percentages of the alien flora across five categories; and (d) the bar plot showing the percentage of available data for each of the 14 variables for three categories of alien species (invasive, naturalized and casual)

taxonomic level, the alien species (invasive, naturalized and casual) data are distributed across 764 genera and 154 families with Asteraceae, Fabaceae and Poaceae as the most represented families. Out of the 764 genera, 530 genera have species belonging to either one of the three categories (invasive = 76, naturalized = 72, casual = 481), whereas 21 genera have species of all three categories.

The data records for the species identify 50 native ranges at TDWG Level 2 for 1444 species and 919 naturalized ranges at TDWG Level 4 for 1344 species. Introduction pathway information was available for 1038 species. Available information indicated that the Americas contributed most of the alien species and introduction for ornamental purposes was found to be the dominant introduction pathway (Figure 4).

Herbaceous growth form was predominant across all five categories of species (Figure 5a). The data on potential habitats of 459 species identify 38 subcategories that are combined into five coarser levels. The database is also populated with 40,724 occurrence records for 889 species, recorded across 34 LULC classes, 18 anthromes, 42 ecoregions and 15 climate classes in India. The invasive aliens were found to occupy the maximum number of LULC classes, anthromes and ecoregions (Figure 5b). Among the 36 states and union territories, Tamil Nadu has the highest number of alien flora. Further, 50 subcategories of uses have also been recorded for 1159 species, which were combined into 13 Level 1 uses (Figure 5c). The majority of species have environmental uses (Figure 5d). The online nursery data for 442 species revealed a higher average market price of native and cryptogenic



S1: Europe; S2: Africa; S3: Asia-Temperate; S4: Asia-Tropical; S5: Australasia; S6: Pacific; S7: Northern America; S8: Southern America

FIGURE 4 Flows of alien species between native range and introduction pathways. The chord diagram shows the number of alien species (*n* = 317, considering invasive, naturalized and casual alien species for which both native range and introduction pathway information are available in the database) introduced from each continent by different introduction pathways. The width of a chord represents the number of alien species

aliens compared to that of the invasive, naturalized and casual aliens (Figure 5e).

5 | RELATED WORKS

The introduction pathway and usage data have previously been utilized to propose a set of policy interventions to prevent and control plant invasions in India (Banerjee, Khuroo, et al., 2021). Considering a subset of species, another study identified the variables' influence on naturalization and invasion success of alien plants in India (Banerjee, Prajapati, et al., 2021).

ACKNOWLEDGEMENTS

We express our sincere gratitude to our respective institutions and universities for giving us the logistic support, which was an essential requirement in the absence of any specific grant for conducting this research. We are thankful to the associate editor and two reviewers (Prof. Marcel Rejmánek and one anonymous reviewer) for their valuable comments, which have greatly improved the manuscript and database quality. We would also like to thank Prof. Mark van Kleunen, Prof. John Ross Wilson and Dr. Bharat Babu Shrestha for their thoughtful comments on an earlier version of the manuscript and database. Global Covid-19 pandemic situation tested our capacities to work on this database and manage families simultaneously; therefore, we would like to specially thank our better halves and children (Kavita Parab and Tanay Bhowmick; Sushmita Bhattacharya and Addiriti Mukherjee; and Payal Banerjee) for their patience and constant support for us.

CONFLICT OF INTEREST

The authors declare no conflict of interest.

AUTHORS' CONTRIBUTIONS

AKB and AM conceptualized the idea. VP and AKB developed the methodology. VP, CP and AKB curated the data. All authors




FIGURE 5 Visualization of variables across five categories of species included in the database – (a) growth form, (b) average (±SE) number of occupied anthromes, ecoregions, habitats and LULC classes, (c) number of economic uses for five categories together, (d) heatmap showing number of economic uses for each of the five categories of species, and (e) violin plot showing the distribution of market price values (with mean ± SE values showing above each plot)

validated the data. CP, KP and ARB analysed the data. AKB supervised the project. VP wrote the original draft, which was reviewed by all authors.

PEER REVIEW

The peer review history for this article is available at https://publons. com/publon/10.1002/2688-8319.12105.

DATA AVAILABILITY STATEMENT

The data records, along with the detailed information files and R scripts, are archived in the online repository Figshare https://doi.org/ 10.6084/m9.figshare.13677460 (Pant et al., 2021). ILORA website (https://ilora2020.wixsite.com/ilora2020) can also be used to retrieve data records through query-based search.

ORCID

Amiya Ranjan Bhowmick D https://orcid.org/0000-0002-7124-2213 Achyut Kumar Banerjee D https://orcid.org/0000-0001-7631-5269

REFERENCES

- Banerjee, A. K., Khuroo, A. A., Dehnen-Schmutz, K., Pant, V., Patwardhan, C., Bhowmick, A. R., & Mukherjee, A. (2021). An integrated policy framework and plan of action to prevent and control plant invasions in India. *Environmental Science & Policy*, 124, 64–72.
- Banerjee, A. K., Prajapati, J., Bhowmick, A. R., Huang, Y., & Mukherjee, A. (2021). Different factors influence naturalization and invasion processes
 A case study of Indian alien flora provides management insights. *Journal of Environmental Management*, 294, 113054.
- Brummitt, R. K., Pando, F., Hollis, S., & Brummitt, N. (2001). World geographical scheme for recording plant distributions. Hunt Institute for Botanical Documentation, Carnegie Mellon University.
- Bryant, C., Wheeler, N. R., Rubel, F., & French, R. H. (2017). kgc: Koeppen-Geiger climatic zones. R package version 1.0.0.2.
- Chang, W., Cheng, J., Allaire, J., Xie, Y., & McPherson, J. (2020). *shiny: Web application framework for R.* R package version 1.4.0.2. https://cran. r-project.org/package=shiny
- Cook, F. E. (1995). Economic botany data collection standard Prepared for the International Working Group on Taxonomic Databases for Plant Sciences (TDWG). Royal Botanic Gardens (Kew).
- Ellis, E. C., & Ramankutty, N. (2008). Putting people in the map: Anthropogenic biomes of the world. *Frontiers in Ecology and the Environment*, *6*, 439–447.

- Essl, F., Bacher, S., Genovesi, P., Hulme, P. E., Jeschke, J. M., Katsanevakis, S., Kowarik, I., Kühn, I., Pyšek, P., Rabitsch, W., Schindler, S., Van Kleunen, M., Vilà, M., Wilson, J. R. U., & Richardson, D. M. (2018). Which taxa are alien? Criteria, applications, and uncertainties. *BioScience*, 68, 496–509.
- Harrower, C., Scalera, R., Pagad, S., Schonrogge, K., & Roy, H. (2018). *Guidance for interpretation of CBD categories on introduction pathways*. Technical note prepared by IUCN for the European Commission.
- Inderjit, Pergl, J., Van Kleunen, M., Hejda, M., Babu, C. R., Majumdar, S., Singh, P., Singh, S. P., Salamma, S., Rao, B. R. P., & Pyšek, P. (2018). Naturalized alien flora of the Indian states: Biogeographic patterns, taxonomic structure and drivers of species richness. *Biological Invasions*, 20, 1625–1638.
- Khuroo, A. A., Reshi, Z. A., Malik, A. H., Weber, E., Rashid, I., & Dar, G. H. (2012). Alien flora of India: Taxonomic composition, invasion status and biogeographic affiliations. *Biological Invasions*, 14, 99–113.
- Kindt, R. (2020). WorldFlora: An R package for exact and fuzzy matching of plant names against the World Flora Online taxonomic backbone data. *Applications in Plant Sciences*, *8*, e11388.
- Latombe, G., Pyšek, P., Jeschke, J. M., Blackburn, T. M., Bacher, S., Capinha, C., Costello, M. J., Fernández, M., Gregory, R. D., Hobern, D., Hui, C., Jetz, W., Kumschick, S., Mcgrannachan, C., Pergl, J., Roy, H. E., Scalera, R., Squires, Z. E., Wilson, J. R.U., ... Mcgeoch, M. A. (2017). A vision for global monitoring of biological invasions. *Biological Conservation*, 213, 295–308.
- Lenzen, M., Moran, D., Kanemoto, K., Foran, B., Lobefaro, L., & Geschke, A. (2012). International trade drives biodiversity threats in developing nations. *Nature*, 486, 109–112.
- Olson, D. M., Dinerstein, E., Wikramanayake, E. D., Burgess, N. D., Powell, G. V. N., Underwood, E. C., D'amico, J. A., Itoua, I., Strand, H. E., Morrison, J. C., Loucks, C. J., Allnutt, T. F., Ricketts, T. H., Kura, Y., Lamoreux, J. F., Wettengel, W. W., Hedao, P., & Kassem, K. R. (2001). Terrestrial Ecoregions of the World: A New Map of Life on Earth: A new global map of terrestrial ecoregions provides an innovative tool for conserving biodiversity. *BioScience*, *51*, 933–938.
- Pagad, S., Genovesi, P., Carnevali, L., Schigel, D., Mcgeoch, M A. (2018). Introducing the global register of introduced and invasive species. *Scientific Data*, 5, 170202.
- Pant, V., Patwardhan, C., Patil, K., Bhowmick, A. R., Mukherjee, A., & Banerjee, A. K. (2021). Data: ILORA: A database of alien vascular flora of India. Figshare. https://doi.org/10.6084/m9.figshare.13677460

- Pyšek, P., Richardson, D. M., Rejmánek, M., Webster, G. L., Williamson, M., & Kirschner, J. (2004). Alien plants in checklists and floras: Towards better communication between taxonomists and ecologists. *TAXON*, *53*, 131– 143.
- R Core Team. (2020). R: A language and environment for statistical computing. R Foundation for Statistical Computing.
- Reddy, C. S., Jha, C. S., Diwakar, P. G., & Dadhwal, V. K. (2015). Nationwide classification of forest types of India using remote sensing and GIS. *Environmental Monitoring and Assessment*, 187, 777.
- Sankaran, K. V., Khuroo, A., Raghavan, R., Molur, S., Kumar, B., & Wong, L. J., & Pagad, S. (2020). *Global Register of Introduced and Invasive Species - India*. Version 1.3. https://doi.org/10.15468/uvnf8m
- Van Kleunen, M., Dawson, W., Essl, F., Pergl, J., Winter, M., Weber, E., Kreft, H., Weigelt, P., Kartesz, J., Nishino, M., Antonova, L. A., Barcelona, J. F., Cabezas, F. J., Cárdenas, D., Cárdenas-Toro, J., Castaño, N., Chacón, E., Chatelain, C., Ebel, A. L., ... Pyšek, P. (2015).Global exchange and accumulation of non-native plants. *Nature*, *525*, 100–103.
- van Kleunen, M., Pyšek, P., Dawson, W., Essl, F., Kreft, H., Pergl, J., Weigelt, P., Stein, A., Dullinger, S., König, C., Lenzner, B., Maurel, N., Moser, D., Seebens, H., Kartesz, J., Nishino, M., Aleksanyan, A., Ansong, M., Antonova, L. A., ... Chatelain, C. (2019). The Global Naturalized Alien Flora (GloNAF) database. *Ecology*, 100, e02542.

SUPPORTING INFORMATION

Additional supporting information may be found in the online version of the article at the publisher's website.

How to cite this article: Pant, V., Patwardhan, C., Patil, K., Bhowmick, A. R., Mukherjee, A., & Banerjee, A. K. (2021). ILORA: A database of alien vascular flora of India. *Ecological Solutions and Evidence, 2*, e12105. https://doi.org/10.1002/2688-8319.12105